Fujitsu recommends Windows 11 Pro.



Data Sheet

Fujitsu Notebook LIFEBOOK U7613

Ultra-Mobile Meets Ultra Secure

The Fujitsu LIFEBOOK U7613 is a modern slim & light notebook for business professionals. Based on the 13th generation Intel® Core™ processor, the 16.0-inch WUXGA screen, light weight, an all-day battery runtime and the FHD camera enable it to provide best portability. The outstanding security like PalmSecure™ makes the notebook to the perfect choice in today's modern workstyle.

Bigger screen size and enjoyable mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- The remarkably slim 20.9 mm ultra-mobile notebook weighs only 1.49 kg
- Enjoy the Intel® Iris® Xe Graphics with a 16:10 WUXGA outdoor-friendly anti-glare display

Excellent security

Enhance your security with outstanding features to best protect your notebook and company data

- Integrated PalmSecure™ or fingerprint sensor
- FHD Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector and HDMI
- Embedded 4G or 5G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK E5 and U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C port replicator, USB Type-C AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family

















Components

Base unit	LIFEBOOK U7613
Operating systems	
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.
Microsoft OS support information	Windows 11 requires for first device setup: - Internet connectivity - Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending on extension of hardware services through warranty top ups. For more details please visit our Fujitsu Service Statement under https://support.ts.fujitsu.com/IndexProdSupport.asp?Ing=com&OpenTab=
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft as applicable under the relevant Microsoft program.
Processor	Intel® Core™ i7-1370P processor (14 Cores, up to 5.2 GHz) **
	Intel® Core™ i7-1355U processor (10 Cores, up to 5.0 GHz) *, ***
	Intel® Core™ i5-1350P processor (12 Cores, up to 4.7 GHz) **
	Intel® Core™ i5-1345U processor (10 Cores, up to 4.7 GHz) **
	Intel® Core™ i5-1340P processor (12 Cores, up to 4.6 GHz) *, ***
	Intel® Core™ i5-1335U processor (10 Cores, up to 4.6 GHz) *, ***
	Intel® Core™ i3-1315U processor (6 Cores, up to 4.5 GHz) *
	 Processor only for retail, SMB, education and government Processor supports Intel® vPro® Enterprise Processor supports Intel® vPro® Essential
Memory modules	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED
	PCIe-SSD, 256 GB M.2 NVMe module, SED
	PCIe-SSD, 2 TB M.2 NVMe module, SED
	PCIe-SSD, 1 TB M.2 NVMe module, SED
Hard disk notes	Accessible capacity may vary, also depending on used software.
Interface add on cards/components (optional)	
4G/5G (optional)	Fibocom FM350-GL (5G Sub-6/ cat.19) (Downlink speed 5G - 3740 MB/s , 4G - 1600 MB/s, Uplink speed 5G - 835 MB/s 4G - 211 MB/s)
	Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)
Display	40.6 cm (16-inch), IPS, WUXGA, 1,920 x 1,200 pixel, Anti-glare multi-touch, 300 cd/m² (Touch), 800:1 (Touch)
	40.6 cm (16-inch), IPS, WUXGA, 1,920 x 1,200 pixel, Anti-glare display, 400 cd/m ² , 1500:1
	40.6 cm (16-inch), IPS, WUXGA, 1,920 x 1,200 pixel, Anti-glare display, 300 cd/m ² , 800:1
Multimedia	
Camera	Built-in webcam (Full HD) with Status LED Built-in Infrared webcam (Full HD) with Status LED
Camera notes	1080p, 2 megapixels, 1920 x 1080, with Privacy Camera Shutter
Microphone	dual digital array microphone

Base unit

Base unit	LIFEBOOK U7613		
General system information			
Chipset	Integrated		
Supported capacity RAM (min.)	8 GB		
Supported capacity RAM (max.)	64 GB		
Memory slots	2 SO DIMM (DDR4, 3200 MHz)		
Memory notes	Dual channel support		
LAN	10/100/1,000 MBit/s Intel® I219LM		
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD	cat. 2	
BIOS version	UEFI Specification 2.8		
BIOS features	InsydeH2O BIOS		
Audio type	On board		
Audio codec	Realtek ALC257		
Audio features	2x built-in speakers (2 W each), Ster	eo audio	
Color	Warm Silver		
Material	Magnesium		
	<u>, </u>		
Graphics Base unit	LIFEBOOK U7613		
		annol momory) Intol® Isio® Vo Crashing (with Dual channel mamons)
Graphics brand name Graphics notes	<u> </u>	Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory) Shared memory depending on main memory size and operating system	
<u> </u>	Shared memory depending on mai	n memory size and operating system	
Interfaces			
Audio: line-in / line-out	1		
Internal microphones	2x digital array microphones (optional)		
USB 3.2 Gen1 (5 Gbps) total	3x Type-A (1 with Anytime USB charge functionality)		
Thunderbolt™ 4 total	2x Type-C with USB4 (40 Gbps, Power Delivery (15W), DP 1.4 out)		
HDMI	1 - Supports 4k@60Hz as specified in HDMI 2.0b		
Ethernet (RJ-45)	1 (with status LED)		
Memory card slots	1 microSD 3.0 Standard		
	microSD card microSDHC card		
	microSDXC card		
	Speed Class: up to UHS-I		
SmartCard slot	1 (optional)		
SIM card slot	1 (Nano-SIM, only for models with configuration WWAN ready or with 4G/5G LTE modules)		
eSIM card	eSIM integrated in 4G/5G LTE Module		
Docking connector for Port Replicator	1 - PR Model: NPR50		
Kensington Lock support	1 - Recommendation: Kensington's Micro Security Saver		
Port Replicator interfaces (optional)			
pcaro. interfaces (optional)	USB Type-C PR	Thunderbolt™ 4 PR	Mechanical PR
	/۴٠		Model: NPR50
DC-in	1 (19V/90W required)	1 (20V/170W required)	1 (19V/90W required)
Power on switch	1	1	1
Audio: line-in / line-out	1	1	1
Audio: comments	Combo jack for headset usage	Combo jack for headset usage	Combo-Port
USB 3.2 Gen1 (5 Gbps) total	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W		4x Type-A 2x Type-C
USB 3.2 Gen2 (10 Gbps) total		2x Type-A - 5 V/0.9 A, 4.5 W 1x Type-A - 5 V/2.4 A, 12 W 2x Type-C - 5 V/1.5 A, 4.5 W charging port	

Port Replicator interfaces (optional)			
USB 4.0 Gen3 (20 Gbps) total		1x Type-C - TBT4 up to 60 W (PD v2.0-	
		1.1), 5-20 V/3. 0A upstream (PC), Intel	
		AMT support (vPRO) to client	
		1x Type-C - TBT4 up to 15 W (PD v2.0-	
		1.1), 5 V/3.0 A downstream, power output to peripheral	
DisplayPort	1x v1.2	2x v1.4++	2 (up to 2x 3840x2160 60Hz)
VGA	1		1 (up to 1920x1200 6Hz)
HDMI text	1 -Supports 4k@60Hz as specified in HDMI 2.0b	1 - Supports 4k@60Hz as specified in HDMI 2.0b	1 -Supports 4k@60Hz as specified in HDMI 2.0b
Interface Notes	1x USB Type-C to Client - Up to 60 W	1x USB Type-C to Client -	
	(PD v2.0-1.1) power output to client or	•	
	4.5W input	1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)	
Kensington Lock support	no	1	1 (lock Portrep only)
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1 (10/100/1000)
Notes	Number of simultaneous used display	s and its possible resolutions and frequ	encies depend on mobile system and
	display interface type.		
	Please consult always also the manual	of the connected client.	
Keyboard and pointing devices			
		block, Available with standard keyboard	·
		ard pitch: 18.4 mm, Keyboard stroke: 1.	7 mm
	Multi gesture touchpad with two mou	se buttons	
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2+2 4G/S	5G antennas optional	
Bluetooth	v5.1 (OS limitation) - hardware is v5.3 r	ready	
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2		
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only. Import and usage according to country-specific regulations.		5 only.
LTE/UMTS/GPS notes	Optional		
Integrated WWAN	(5G) LTE Fibocom FM350-GL (Sub-6/ca (4G) LTE Quectel EM120R-GL (Cat.12) -	-	
NFC	No		
GPS	Embedded in 4G/5G module if configu	ured with WWAN	
Power supply			
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	lz - 60 Hz, 3-pin (grounded) Type-C AC-	Adapter slim&light
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter standard		
1st battery	Lithium polymer battery 4-cell, 65 Wh,	, 4,280 mAh	
Battery features	Quick Charge: 80% in 1h		
Runtime 1st battery	11hn 30min (up to)		
Battery notes		on worldwide acknowledged BAPCo® N	lobileMark® 2018. Refer to www.bapco
	com for additional details.		
	The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary		
		ıration, application and power manage	
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	357 x 249.3 x 20.9 mm		
Dimensions (WADAII)	14.06 x 9.81 x 0.82 inch		
Weight	1.49 kg (starting from)		
Weight (lbs)	starting from 3.28 lbs		

Dimensions / Weight / Environmental	
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %
Compliance	
Product	LIFEBOOK U7613
Model	7U16A4
Germany	GS in progress
Europe	CE CB
USA/Canada	FCC (depending on configuration)
Global	ENERGY STAR® 8.0 MIL-STD-810H tested EPEAT® Gold (dedicated regions) TCO Certified 9.0
China	CCC in progress
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Function Manager Fujitsu Battery Utility Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® Nero Essentials XL Microsoft® Office Professional 2021 Microsoft® Office Home and Business 2021 (Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.
Manageability	
Manageability technology	Intel® vPro™ technology/iAMT (depending on processor) PXE Boot code Wake-on-LAN
Manageability software	DeskView Client DeskView Instant BIOS Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	https://www.fujitsu.com/global/products/computing/pc/manageability/
Security	
Physical Security	Kensington Lock support
System and BIOS Security	User and supervisor BIOS password EraseDisk

Security	
User Security	Embedded fingerprint sensor (optional) Embedded PalmSecure® sensor (optional) Smartcard reader (optional) TPM 2.0 Hard disk password
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.
Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patch for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsrcom/ free of charge by entering the respective product serial number. For application software supplied together

at least 5 years after shipment, for details see https://support.ts.fujitsu.com/

http://www.fujitsu.com/emeia/products/product-support-services/

9x5, Onsite Response Time: Next Business Day

with the product, please directly refer to the support websites of the respective software manufacturer.

Recommended Accessories

Product Support - the perfect extension

Recommended Service

Spare Parts availability

Service Weblink

Thunderbolt™ 4 Port Replicator	First Thunderbolt™ Port Replicator on the market providing enhanced Order Code: security and full support of Intel® AMT (vPro®). The universal port can easily connect almost everything with a single cable and high speed-data transfer. This smart workspace solution keeps your desk clean and tidy.
Port Replicator for LIFEBOOK U7x13, U7x12, E5x13, E5x12, U7411 and U7511	Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options. FPCPR402BP
USB Type-C Port Replicator 2	Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices S26391-F3327-L100 connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.
	Order Code: FPCBP602BP

USB-C Travel Hub



Connect to your peripherals. Adapt to the task on demand. The Fujitsu Accessory USB-C Travel Hub supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via DisplayPort or HDMI or VGA. You can also charge your external USB devices without the need of any additional charger. Take the USB-C Travel Hub with you wherever you go - you don't want to miss it in future.

Order Code: S26391-F6007-L153

Prestige Case 16 (2021)



The Prestige Case 16 protects notebooks with up to 17-inch screens. Enjoy Order Code: a main compartment for your device and a second compartment for documents etc. The front compartment provides enough space for your equipment, power cord and office supplies.

S26391-F1120-L61

CANVAS ANDERSON 15



The PLEVIER CANVAS ANDERSON 15 leather and canvas case is a compact Order Code: and classic carrier for on the go. Available for notebooks up to 15 inches with two compartments and two accessory sections, protection for your device ensured. A subtle design canvas and nappa leather shade.

S26391-F1193-L68

Wireless Mouse WI860 BTC



The Wireless Mouse WI860 BTC can be paired with up to 3 different clients, Order Code: 2x Bluetooth and 1x wireless USB Type-C dongle.

With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400).

The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.

S26381-K474-L100

Wireless Keyboard Set LX960



The Wireless Keyboard Set LX960 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions and better features than a conventional interface device. It even includes 2.4 GHz technology and 128-bit AES encryption.

S26381-K960-L4** (**: Country specific variation)

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7613, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK U7613, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/Copyright 2023 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2023-06-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/
Copyright 2023 Fujitsu Technology Solutions GmbH